




Physiological Botany

By George Lincoln Goodale

RareBooksClub. Paperback. Book Condition: New. This item is printed on demand. Paperback. 204 pages. Dimensions: 9.7in. x 7.4in. x 0.4in.This historic book may have numerous typos and missing text. Purchasers can usually download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1885 edition. Excerpt: . . . but the imbibed liquid is different on different sides, and hence the plasma membrane in contact with the sides must have different capacities for osmosis. 718. In midwinter or in earliest spring some of the tissues of ligneous plants are stored to a large extent with starch and other solid products manufactured during the previous season. At the coming of warmer weather chemical changes take place, largely following the absorption of water, by which these solid substances are transformed into a liquid state, occupy a greater space than before, and of course exert much greater pressure. The saccharine sap of the maple represents that which during the early winter existed in the tissues as starchy matter. This conversion of material will be further discussed under Metastasis. 719. Exudation of water from uninjured parts of plants. Under certain circumstances water can exude in a liquid...



Reviews

Completely one of the best ebook I actually have possibly study. It can be writter in simple phrases and not confusing. You can expect to like the way the author write this book.

-- Josefa Ebert

It in one of the most popular book. I am quite late in start reading this one, but better then never. Once you begin to read the book, it is extremely difficult to leave it before concluding.

-- Camylle Larson